



**Figure 12a. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) North of Buck Lake.**




2 0 2 4 Miles






**Figure 12b. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) from Buck Lake to Fox Lake**




2 0 2 4 Miles






**Figure 12c. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) Near Tico.**




2 0 2 4 Miles






**Figure 12d. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) Near Port St. John.**




2 0 2 4 Miles






**Figure 12e. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) from Cocoa to Viera.**




2 0 2 4 Miles



Legend




**Figure 12f. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) near Wickham.**





**Figure 12g. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) near Melbourne.**



2 0 2 4 Miles

A horizontal scale bar with four segments. The first segment is labeled '2', the second '0', the third '2', and the fourth '4 Miles'. The bar is black with white outlines.







Figure 12h. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) from Malabar to Grant.



2 0 2 4 Miles







Figure 12i. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) from Grant to Sebastian.



2 0 2 4 Miles








Figure 12j. Potential Scrub Reserve Units (blue lines) and Potential Habitat (yellow) near Sebastian.




2 0 2 4 Miles





**Figure 13a. Territory Clusters and Potential Reserve Units (PRU Identifiers in Red) in the North Brevard Metapopulation.**






**Figure 13b. Territory Clusters and Potential Reserve Units (PRU Identifiers in Red) in Central Brevard and the Northern Part of South Brevard-Indian River-St Lucie Metapopulation.**






**Figure 13c. Territory Clusters and Potential Reserve Units (PRU Identifiers in Red) in the Central Part of South Brevard-Indian River-St Lucie Metapopulation). PRUs Were Not Mapped South of Wabasso on the Atlantic Coastal Ridge or South of SR60 on the Ten Mile Ridge.**






**Figure 14a. Territory Clusters (blue lines) and Suitable Oak and Palmetto-oak (lime) from Buck Lake North.**




3 0 3 6 Miles







**Figure 14b. Territory Clusters (blue lines) and Suitable Oak and Palmetto-oak (lime) near South Lake.**







**Figure 14c. Territory Clusters (blue lines) and Suitable Oak and Palmetto-oak (lime) near Tico.**





**Figure 14d. Territory Clusters (blue lines) and Suitable Oak and Palmetto-oak from Titusville to Viera.**





**Figure 14e Territory Clusters (blue lines) and Suitable Oak and Palmetto-oak (lime) from Viera to Melbourne.**







Figure 14f. Territory Clusters (blue lines) and Suitable Oak and Palmetto-oak (lime) from Melbourne to Grant.







Figure 14g. Territory Clusters (blue lines) and Suitable Oak and Palmetto-oak (lime) from Palm Bay to Sebastian.

